



**USER MANUAL
BEDIENUNGSANLEITUNG**

M-100 USB

DYNAMIC MICROPHONE



Dynamic USB Microphone

The M-100 USB is a dynamic microphone and was designed for digital recordings at the computer. The microphone connects both PC and Mac and requires no setup thanks to its plug & play functionality. Delivery includes a USB cable and a transport bag.

Safety Instructions

- Maintenance and service operations are only to be carried out by authorized dealers. Damage, caused by manual modifications on this device is not subject to warranty. If the microphone is used for other purposes than originally intended or if it is not correctly connected, the product may suffer damages and the guarantee becomes void.
- Protect the microphone against humidity and heat. The ambient temperature must always be between -5°C and $+45^{\circ}\text{C}$.

Setting Into Operation

Use the included USB cable to connect the M-100 USB to an available USB port on your computer. The microphone will be recognized by the computer as USB audio device under the name "Usb Microphone". You can control the microphone using the standard audio interface controls in the Mac and Windows operating system. Set the sliding switch to "ON" to switch on the microphone.

Cleaning

For cleaning the microphone only use a dry cloth. Never use chemicals or water.

Technical Specifications

Item number:.....13000417
Type:Dynamic
Directivity pattern:.....Cardioid
Frequency range:50-18000 Hz
Impedance:.....600 Ω
Sensitivity:53 dB (± 3 dB)
Connector:USB type A
Dimensions:.....181 x 50 mm
Weight:185 g
Operating system:Windows XP, Vista, 7
.....Mac OS X 10.3.9 and better

Every information is subject to change without prior notice. 2012 ©

Dynamisches USB-Mikrofon

Das M-100 USB ist ein dynamisches Mikrofon konzipiert für digitale Aufnahmen am Computer. Das Mikrofon ist kompatibel zu PC und Mac und wird dank seiner Plug-&-play-Funktionalität automatisch erkannt. Zum Lieferumfang gehört ein USB-Kabel und eine Transporttasche.

Sicherheitshinweise

- Wartungs- und Servicearbeiten sind ausschließlich dem autorisierten Fachhandel vorbehalten. Schäden, die durch manuelle Veränderungen an diesem Gerät verursacht werden, fallen nicht unter den Garantieanspruch. Wird das Mikrofon zweckentfremdet oder falsch angeschlossen, kann dies zu Schäden am Produkt führen und der Garantieanspruch erlischt.
- Schützen Sie das Mikrofon vor Feuchtigkeit und Hitze. Die Umgebungstemperatur muss zwischen -5°C und $+45^{\circ}\text{C}$ liegen.

Inbetriebnahme

Schließen Sie das M-100 USB über das beiliegende USB-Kabel an eine freie USB-Schnittstelle Ihres Computers an. Das Mikrofon wird vom Computer sofort als USB-Audiogerät unter dem Namen "Usb Microphone" erkannt. Mit den Standardwerkzeugen Ihres Betriebssystems können Sie das Mikrofon konfigurieren. Stellen Sie den Schiebeschalter auf "ON", um das Mikrofon einzuschalten.

Pflege

Verwenden Sie zur Reinigung des Mikrofons ein trockenes Tuch. Verwenden Sie niemals Chemikalien oder Wasser.

Technische Daten

Artikelnummer: 13000417
Typ: Dynamisch
Richtcharakteristik: Niere
Frequenzbereich: 50-18000 Hz
Impedanz: 600 Ω
Empfindlichkeit: 53 dB (± 3 dB)
Anschluss: USB Typ A
Maße: 181 x 50 mm
Gewicht: 185 g
Betriebssystem: Windows XP, Vista, 7
..... Mac OS X 10.3.9 und höher

M-100 USB



www.omnitronic.com

